

SECTION - SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

CRV SESSION PROCEDURES REPORT

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

CONTROL NUMBER: 8Z15

NICKNAME: None

DATE OF SESSION: 1 Oct 87

TARGET COUNTRY: Unknown

REFERENCES: None

SESSION NUMBER: 02

DATE OF REPORT: 5 Oct 87

MISSION STATUS: Continuing

TECHNIQUE UTILIZED: CRY

SOURCE IDENTIFIER: Q03

- 1. (S/NF/SK) INTERVIEWER TASKING: This is the second session of a new project conducted utilizing this Source. Specifically the Interviewer is to task the Remote Viewing Source to provide data on a specific site to include the general external and internal configurations, purposes of the various structures and objects at the site and data pertaining to the development and utilization of materials/objects at this site. The Interviewer has still not been made cognizant of the true nature of this site. As in the previous session the Interviewer utilized the same encrypted coordinate of "1284/6712" which is a departure from accepted protocols of two six digit coordinates. There were no indications that shortened coordinates had any noticeable affect on Source's performance in this session and He was able to quickly adapt to this rather small departure from past procedures.
- 2. (S/NF/SK) SOURCE TASKING: Source was specifically told that this "will be a second visit to the site you reported on previously in which there was some technology being worked on, with a predominant color of red, and in a post-session impression you sketched a large wheel". Source did not readily recall His previous session and no other cues or descriptive data pertaining to this target were provided to Him prior to the session. This session was conducted entirely utilizing the protocols of Coordinate Remote Viewing (CRV). In the previous session the Source was tasked utilizing the Extended Remote Viewing (ERV) methodology. It was the opinion of the Interviewer that the Source had reached the point in this tasking when definitive sketched impressions might be invaluable to the final intelligence tasking and the CRV technology is more conducive to these types of results.

NOFORN - SKEET CHANNELS ONLY

- 3. (S/NF/SK) INCLEMENCIES: There were no reportable incidents or anomalies which may have influenced the data obtained in this session.
- 4. (S/NF/SK) <u>SUMMARY</u>: Source furnished the attached summary which was prepared following the session and <u>submitted</u> to the Interviewer four days following the session. The completeness of the typewritten summary has been compared to the Interviewer's notes and all omissions, changes, and/or corrections have been verified as acceptable by the Interviewer. The information provided in the summary was found to be a complete accounting of the data provided by the Source during the session and did not require further modification, clarification or additions by the Interviewer.
- 5. (S/NF/SK) <u>COMMENTS</u>: It is not known whether there would be further benefits to continued utilization of this Source on this target. His data in this session bears strong correlations to data obtained by other Sources targeted against this site, however He has provided fairly definitive data in response to the actual tasking and further efforts to clarify or modify the data already provided may lead to an analytic drive as His very inquisitive mind attempts to label and objectify His imp**SoftOtA3**.



Site involves a large, rectangular structure. White, grey, and green are important colors associated with the site, as are stingy smells and metallic, shiny textures. Some sort of processing is going on within the structure. There is a large open area, well-lit, with complex and often rather large assemblages of stainless-steel and other metallic objects and apparatus. The process involves controlling, condensing, containing, filtering, precision, and colors such as green and yellow, and gassy consistencies. Titration, catalysis, retorts, and pressure may also be involved. There are dials and readouts used to monitor the internal states and conditions in the various pieces of equipment. Introducing, combining, adjusting and monitoring are activities involved here. Valves, pipes and tubing connect various assemblages of cylindrical containers (see sketches for detail) which also process. Cool temperatures are necessary in some places and hot temperatures in another. Impressions of people turning wheels or valves to introduce one element into a container of another to obtain synthesis or production of some third substance. It seems to be some sort of new process/technology—a "breakthrough" type of procedure. site is a subelement of a larger effort/organization which is diversifies deographically and in its activities. People here at the site are excited, enthusiastic, satisfied with what they do, and feel a sense of fulfillment and accomplishment. They feel they are doing something constructive for their society.

In the processing, venturis, hydrodynamic flow, possibly electromagnetic irradiation, a reagent, a "fusing", and perhaps some sort of implosive all seem to be involved. Pressure is important. Caustic, corrosive, noxious, hazardous substances are involved, requiring safeguards; the figurative idea of "fermenting" plays a role--the sense of aging a substance gradually, changing, maturing, transforming, stabilizing. the proper precautions are followed the substances can be controlled relatively safely, but direct contact must be avoided. Valves are specially designed to avoid any amount of leakage, accidental discharge or pressure blowouts. A special metal alloy is employed that is dense, steel-based, machined, annealed, and non-conductive. The end product is the most dangerous. Countermeasures for it are difficult to apply, slow acting, and relatively unpredictable, as well as only marginally successful. The substance is actively against hydrocarbon/organic materials. Its consistency is denser than a normal gaseous substance, but less dense than a solid or liquid. The idea of "gelatinous" comes best to mind. The constituent parts are gaseous/vaporous; but the final product is gelatinous. The proposed application of the substance is only theoretical; there has as yet been no occasion to employ it in any practical mode. Its use seems to involved distribution over a wide area out of doors. Presently there is no sense of inimical purpose. AOLs of chemical warfare and, alternatively, a fusion power plant were suggested. At least three substances (see sketch) are used to produce the end product. The first substance is cool, sharp in smell and feel, and produced the German word "Sauerstoff" (oxygen) as a descriptor. The second substance is "benign", "flat",, has a

X

X

Approved For Release 2000/08/08 : CIA-RDP96-00789R000200160002-1 / 27

Approved For Release 2000/08/08 : CIA-RDP96-00789R000200160002-1

stinging smell, has a neutral temperature, and produced the word "inert" as a descriptor. The final substance is warm, brownish, soupy, caustic, and has a nasty taste; it suggested the AOL of iodine. The end product when contacting organic-based materials causes the material to "curdle" and has the sense of "sloughing off" (AOL of "liquid leprosy").

The people here are neat and tidy, were ties under white lab coats, and exhibit more of a "hive mentality" than would their American counterparts in a similar situation—they're less individually independent in their efforts. "Team work" by culture rather than individual choice. They are very much a product of their society/culture, and much more uniform in their personalities and response to the world. There is a mild defensiveness or paranoia underlying their social background. They seem to have some sort of oriental feel about them.

There is a large body of water somewhere in the vicinity. AOLs of the east side of the Caspian Sea and "Semipalytinsk" (however it's spelled) closed up the session.

New 187

Approved For Release 2000/08/08: CIA-RDP96-00789R000200160002-1

WOULD YOU WE TO BEGIN WITH THE COOPDINATED TO BETRE ANOHOR YOUR SIGNAL LINE?

* YES

(Page 1) + 1284/6712

(Page 6) to the concepts of combining / revort/ contalyst are Similar. lets work more images a little closer.

* Okay, but going to stage VI

- cokay

(Page 9) - A Morre to another page

(fage 9) I Paul as up focus around the shotch you way red to change your sporters "to include oneas which now RUN My the page.

(page 10) - A The idea of hazardons is intriguing but that nedsto be examined a lettle closer

(Page 10) - If you coved focus on the application y this mortered it must better clarify the substance construct and consistency - "

(Page 11) + Break 1030 BEGIN 1031

(page 11) - Mark The circles 1,2,3 -- Stage VIThe Contents y each - write the words that give you describe their contents - - Try now to locate the area where the resultant product is produced -

(3)

Page 12 - A This is nother unpleasand - lets back away
from This topic and try hering to the people
who work here - Tell me about the people

Page H - Pop up now to an altitude where you can perceive the configuration of the structure as well as the surrounding area-

Page 1st - Som & perspective describe the single most seguificant man-made (natural feature 20 km mit-

Faul 1091 87 Ff. Mad, m Gene 0959


1284


A. and B. Surford A. argun angle around solid B. Stunder


mand but some stirsy soul survives shirt survives survive

Cylidia Leure gours

Al Ble ; teres, tratiquing











Approved For Release 2000/08/08 : CIA-RDP96-00789R000200160002-1

DOL 2

Thing Smooth

Cyl. Indrical

Cold dany

condonsing ellahim metalli

hollow long tabulan

> continuings containing Containing Ciltaring Precisions producing

> > titra

guller guller Jorighan glamin

Approved For Release 2000/08/08: CIA-RDP96-00789R000200160002-1

52' Approved Fof Release 2000/98/08: CIA-RDP96-007/89R000200160002-1

ALL Als

textor

Complex

Pungent

Sulul

1 B k Swelly make eyn wats

dials readouts pressure

Catalysis

Xellon

WUKINO

Laurin

monitoring Introdución Gu bining

pls Approved For Release 2000/08/08 : CIA-RDP.96-00789R000200160002-1 AUL Valves Piper Cool formperatures vereson me place; but temperatures veresour another. Imperies of person temps wheel "like" value to introduce me element into antaine of another to distant 5 ympheris or production of 3d 5 cess touch. Su'le inpueres of new grovers/ fecharlogy: " breakthrough. Type puredures. excitement people englis motif les Krus predra Sut 13 forton fulfi lwent sevil of suplishment Sylve site is sub-element of large effort/organization kirusities. bed She Several うんいろ

Approved For Release 2000/08/08 : CIA-RDR96-00789R000200160002-1

SUI

F2 Approved For Release 2000/08/08 : CIΔ-RDP96-00789R000200160002-1

de2

 \mathcal{I}

Ab

Pavallel Vertical hor izanti fixed

fitting5 Connections pulsing

Subs humitir seals

Venturis

Swining

Susing

Mixim Lu

Mydordy varin

Colors femperatus

Com landy

light

ivradiat h

Electromegneti

Cautizy Syleguarde

implu


large

Approved For Release 2000/08/08: CIA-RDP96-007897000200160002-1

high dangist


AUL AS Gerborandy pressur 54/2 "fermenting"- sever of aging graduals Changing braturing; transformts; 5/alo; lizing: Conferts Varandons 56/12 present in newson to avoid contact. When appropriated controlled velatively safe. Valves ofth lordor values, specially destined. Fixed any amount leakage. poevent smiderth die harge or prenue bow outs. Special metal allong land done, 9 tiel- based; washined; anvented non-condutive.

ab






of the sold



2

Some Sold







Mark J.

SVI I HIZ ALS Approved For Release 2000/08/08 : CIA-RDP96-00789R000200160002-1 FI T M Ble volular stoff stoff Corrospie noxious 54/2 One express to it Countermeasures are difficult to apply, slow acties, and webst relatively proteine is experiently against hydrocarbon based waterials. Suls towne but less deve than solid, a Gelat house Stle Constituent parts gaseous/vaparous; tind product gelation." frang went the bubbles"; Seams light for its care, 3 terrey

SUI 52 Approved For Release \$2000/08/08: CIA-RDP96-00789R000200160002-1 I AN ALS present proposed application is therestical here been actually weed for intende purpose yet. ALL BK Cham War fare Style Seen that purpose involves use one broadens
out of doors. Presently no seem of in, mich purposes. punte ahlage ALL BLE fusions poura lots y you area in structure. Chamt well best. During floors. heat, on Porthy because dist + dust would be bozard to Operation AJ BK Sharp:

Approved For Release, 2000/08/08: CIA-RDP96-00789R000200160002-1





Approved For Release 2000/08/08 p CIA-RPB96-007895900200960002-1

AUL

pan leds no of iodine

As BLE HANG!

beogent

5 1/1

Depatent

langua Volatre

Water he standy

Curding Symin

Dels organin based materials he contact "condle" + deconstitute. Sensey "5 dayhirs off"

for bk

SVI AN AL Sat 13fted tedicated Competent professioned belreve in what they's doing " it is a british to their society. notus; may took 54/12/Allsiam - Inpression of weather themen + tres; but White los water and Clothes. quiet relbodical disciplined "hor of a "hive wentality" than would American m a similar situation - less individuals rudgendeur In their effects, "Tean work" beg contine rasher than individual choice. Or, outer

Approved For Release 2000/08/188: CIARDP96-00789R000200160002-1


501 Approved For Release 2000/08/08 : CIA-RDP96-00789R000200160002-1 54/2 people very wash a product of their society/attre Much more uniform in their personalitées \$ response to the world.

Igo up for 7

AN BK E. stell Caspian Sen

51/2 impusing y way bothy of worter which specified wear.

Semi palytinsto



5 -M >

1705 end